

http://www.biodiversitylibrary.org/

#### Lindenia : iconographie des Orchidees

Gand [Belgium]: Impr. F. Meyer-van Loo, 1885-1906. http://www.biodiversitylibrary.org/bibliography/64391

v. 6-7 1893-94: http://www.biodiversitylibrary.org/item/112242

Page(s): Page [1], Text, PL. CCCXCVII, Page 29, Page 30, Text, PL. CDIV, Page 43, Page 44, Text, PL. CDVII, Page 49, Page 50, PL. CDVIII, Page 51, Page 52, Text, Page [3], PL. CDXI, Page 9, Page 10, PL. CDXIV, Page 15, Page 16, Text, PL. CDXXV, Page 37, Page 38, Text, PL. CDXXXI, Page 49, Page 50

Contributed by: Missouri Botanical Garden, Peter H. Raven Library

Sponsored by: Missouri Botanical Garden

Generated 21 February 2014 6:42 PM http://www.biodiversitylibrary.org/pdf4/024798900112242

## LINDENIA

ICONOGRAPHY

## OF ORCHIDS

CONDUCTED BY

J. LINDEN, LUCIEN LINDEN and Em. Rodigas.

VII.

1894.

Mo. Bot. Garden, 1895.

GHENT,

PRINTED BY EUG. VANDERHAEGHEN.

PART XXXVII-XXXVIII.

FEBRUARY-MARCH 1894.

# LINDENIA

ICONOGRAPHY

## OF ORCHIDS

CONDUCTED BY

J. LINDEN, LUCIEN LINDEN and Em. RODIGAS.

THE COLOURED PORTRAITS BY

P. DE PANNEMAEKER, A. GOOSSENS and J. GOFFART.

#### CONTENTS :

Pages	Page
Cattleya Eldorado Lind. var. Oweni Hort. 5 Cattleya Eldorado Lind. var. Lindeni Hort. 5	Laelio-Cattleya × elegans Rolfe var. leucotata Hort
	nense Hort

#### TERMS OF SUBSCRIPTION:

SIX MONTHS OR HALF-YEARLY VOLUME (24 PLATES), 25 S. (6 DOLLARS) POST FREE.

### Published by LUCIEN LINDEN

100, RUE BELLIARD

BRUSSELS (BELGIUM).

MAY ALSO BE HAD AT ALL THE PRINCIPAL LIBRARIES

And from Mr. P. WEATHERS, Poplar Villa, Southgate, LONDON N.



CYPRIPEDIUM X DALLEMAGNEI HORT.

#### PL. CCCCXI.

### CYPRIPEDIUM × DALLEMAGNEI HORT.

#### M. DALLEMAGNE'S CYPRIPEDIUM.

CYPRIPEDIUM. Vide Lindenia, Engl. ed., I, p. 31. Cypripedium × Dallemagnei Hort., supra.

he new hybrid figured in the present plate was obtained from the fertilisation of C. Spicerianum with the pollen of C. Lowianum.

We see that the hybrid is about intermediate between its parents, having much of the elegance of C. Spicerianum, both in form and colour, but in size somewhat approaching C. Lowianum.

The character which gives to  $C. \times Dallemagnei$  its particular charm is the graceful contrast produced in the centre of the flower, clear green spotted with blackish purple, and the extremities of the petals and the dorsal sepal, in which a rosy violet colour preponderates. The base of the petals and dorsal sepal are covered with numerous very curious spots. The lower third of the petals bear the same rosy violet spots as are seen in C. Lowianum, and they are also somewhat revolute, as in that species. The upper half of the dorsal sepal is white, set off with several large rosy purple veins. This organ has distinctly the form of C. Spicerianum, but is of larger dimensions. Lastly the lip, which is of average size and nearly cylindrical, is green, feebly tinted with reddish brown in front, and paler behind.

C. Dallemagnei unanimously obtained a First-class Diploma of Honour at a Meeting of the Orchideenne, of Brussels, in November 1893.

L. L.