
1898

THE

ORCHID REVIEW

An Illustrated Monthly Journal

DEVOTED TO ORCHIDOLOGY



VOLUME VI



London:

MARSHALL BROTHERS, KESWICK HOUSE, PATERNOSTER ROW, E.C.

[The right of reproduction is reserved.]

Mo.Bot.Garden

THE

ORCHID REVIEW:

An Illustrated Monthly Journal,

DEVOTED TO ORCHIDOLOGY.

Contents.

			PAGE		PAGE
Botanical Orchids at Kew	***	***	327		321
Calendar of Operations for	Noven	nber	342	Odontoglossum crispum Prince of	
Cattleya albinos		***	326	Wales (Fig. 16)	337
Cattleya Dowiana Imschoot			334		339
					352
Correspondence, &c					331
Dies Orchidianæ			324	Orchids at the Birmingham Botanical	
Hybridist				Garden	
Cattleya × Maroni			336	Orchids at the Royal Horticultural	
Paphiopedium × Eros				Society	
Paphiopedium × J. Coles			335	Orchids in season	328
Paphiopedium × Wiertzia	num		335	Paphiopedium × regale abnormal	333
Manchester and North of	Eng	land		Paphiopedium × Shipwayæ	338
Orchid Society			346	Stanhopea connata	336
Miltonia × Binoti					

PRICE ONE SHILLING MONTHLY.

POST FREE 12/- PER ANNUM, PAYABLE IN ADVANCE.

All Communications should be addressed to the Editor, as overleaf. Trade supplied by-

MARSHALL BROTHERS, KESWICK HOUSE, PATERNOSTER ROW, LONDON, E.C.

[The right of reproduction is reserved.]

confined to the lip, seem to enhance its beauty. Other particulars have been so recently given that it seems unnecessary to repeat them. It is now in the famous collection of Baron Sir H. Schröder, at The Dell, Egham, and we shall hope to hear of its behaviour another season, for there is something quite exceptional about it. Messrs. Hugh Low and Co. must be congratulated on having introduced so striking a plant.

PAPHIOPEDIUM x SHIPWAYÆ.

A most interesting novelty has just appeared in the collection of Colonel Shipway, Grove Park, Chiswick. Mr. Walters, Colonel Shipway's gardener, states that it was purchased from Messrs. Linden, of Brussels, as Cypripedium—or Paphiopedium—Dayanum, but, on flowering, it has proved to be very different; in fact, much more like P. Hookeræ, another Bornean species, and a careful comparison of all the characters forces me to the conclusion that it is a natural hybrid between them. The leaves are more strongly marked than is usual with P. Dayanum, in which respect it approaches P. Hookeræ. It has also an elongated scape, as in the latter, and the size, shape, and colour, are much more like those of this species, from which, however, it is still very distinct, and the modifying influence, I think, must be traced to P. Dayanum. The dorsal sepal is distinctly lined with green at the base, and becomes whitish, slightly tinged with purple, round the upper margin, the apex also being slightly elongated and folded. The petals, though much like P. Hookeræ in colour, are not obovately widened at the apex, and the ciliæ are also much longer. The basal part is green, and a few small spots occur below the middle. The lip is most like P. Hookeræ, and the staminode is orbicular in outline, but, instead of being obcordately bilobed, has a pair of falcate teeth at the apex, with a much shorter blunt tooth between. No other Bornean species, so far as I can see, would account for the characters above pointed out, and it now remains for some of our hybridists to prove or disprove the suggested parentage by crossing the two species together. It is remarkable that this makes the fourth Bornean Paphiopedium believed to be of natural hybrid origin, and in each case P. Dayanum is believed to have been one of the parents (see Orchid Review, iv., p. 366). Its appearance is very interesting, and the gradually accumulating evidence of the way the Bornean species grow together suggests that we have not yet exhausted the list, and, as other combinations are possible, a sharp look-out should be kept for such plants among Bornean importations.