

THE

# GARDENERS' CHRONICLE.

A Weekly Illustrated Journal

OF

HORTICULTURE AND ALLIED SUBJECTS.

VOL. IX.—NEW SERIES.

JANUARY TO JUNE, 1878.

LONDON:

41, WELLINGTON STREET, COVENT GARDEN, W.C.

1878.

# GARDENERS' CHRONICLE.

Established 1841.

A WEEKLY ILLUSTRATED JOURNAL OF HORTICULTURE AND ALLIED SUBJECTS.

NO. 216.—VOL. IX. { NEW } SATURDAY, FEBRUARY 16, 1878.

{ Registered at the General } Price 5d.  
{ Post Office as a Newspaper. } POST FREE, 51d.

CONTENTS.

Apiary .. 206	Onions, cow-dung for .. 212
Arbutus hybrida (cut) .. 211	.. spring .. 210
Beech trees, large .. 209	Pellargonium, show .. 209
Begonia Count Alfred de .. 212	.. Vesuvius and its .. 205
.. varieties (cuts) .. 205	.. yellow Zonal .. 210
Bougainvillea spectabilis .. 214	Petasites fragrans .. 213
Chrysanthemum culture .. 210	Plant nutrition .. 201
Chrysanthemums, new .. 210	Plants, influence of moist .. 210
Cocoa-nut coir for paper .. 208	.. air on growth of .. 210
Coffee, Liberian .. 208	.. new garden .. 202
Cypripedium Hincksianum .. 202	Polyanthus, the .. 205
Dendrobium Dominyanum .. 202	Potatos .. 212
.. .. 202	Potato show, the late .. 213
Florists' flowers .. 205	Primrose, double .. 210
Food absorption by leaves .. 211	Primula sinensis fimbriata .. 209
Garden operations .. 210	.. coccinea .. 209
Garrya elliptica .. 213	Pterostylis Baptistii (cuts) .. 213
Growth, periodicity of .. 210	Rainfall, the, in 1877 .. 213
Hermimera elaphroxylon .. 210	Raspberry canes, pruning .. 210
Icelandic fruits .. 210	.. .. 210
Insects, injurious .. 208	Roses, Indian, notes on .. 203
January, the weather of .. 209	Royal Horticultural Society .. 203
Kawan Island, the flora of .. 209	.. city .. 203, 214
La Mortola, notes on .. 204	Singapore garden, a (cut) .. 208
Lappagerias .. 212	Sugar, impurities in raw .. 208
Lilium auratum .. 214	Thermometers, a test for .. 212
Linnæus' centennial .. 208	Tulips, single early .. 214
Mesly-hug .. 212	Vine border covering .. 212
Narcissus obvallaris .. 213	"Water-creases" .. 203
Odontoglossum cirrhosum .. 202	Weather, the .. 216
.. .. 202	Worms in flower-pots .. 212

To Purchasers of Large Quantities, Market GARDENERS and OTHERS.

**SUTTON AND SONS**  
can offer:—  
**SUTTON'S IMPROVED EARLY CHAMPION**, the best and most productive EARLY PEA in cultivation.  
Sutton's Ringleader | Sutton's Racehorse  
Daniel O'Rourke | and other leading kinds.  
Lowest price per Bushel or Quarter on application.  
**SUTTON AND SONS**, Seed Growers, Reading.

To the Trade, &c.

**A SPARAGUS, GIANT**.—Splendid Roots for Planting and Forcing in immense quantity.  
**EWING AND CO.**, Norwich.

Vines—Vines—Vines.

**J. COWAN, The Vineyard, Garston**, near Liverpool, has still on hand several thousands of strong, well ripened VINES. Fruiting Canes, 10s. 6d. to 12s. 6d. each; Planting Canes, 5s. to 7s. 6d. each. Catalogues free. Trade supplied. Terms on application.

**GRAPES THIS YEAR**.—Splendidly ripened Fruiting and Planting Canes at very moderate prices.  
**JAMES DICKSON AND SONS**, Newton Nurseries, Chester.

Vines.

**WM. PAUL AND SON** have still in stock finely ripened Canes of all the leading varieties of GRAPE VINES. Fruiting Canes, 7s. 6d. to 10s. 6d. each; Planting Canes, 5s. 6d. to 5s. each. The usual Discount to the Trade.  
**PAUL'S Nurseries**, Waltham Cross.

**PEACHES, NECTARINES**, and **APRICOTS**.—Magnificent Dwarf-trained Trees of the above. Price on application to  
**WM. WOOD AND SON**, Nurseries, Maresfield, Sussex.

To the Trade.

**CHERRIES**, Standard Mayduke, fine.—Apply to  
**JAMES BIRD**, Nurseryman, Downham.

**CHERRIES, APRICOTS and PEACHES**, Splendid Dwarf Maiden.  
**WM. WOOD AND SON**, The Nurseries, Maresfield, near Uckfield, Sussex.

**TO THE TRADE**.—A quantity of **VEITCH'S PERFECTION and RINGLEADER PEAS** for disposal. For prices apply to  
**DICK RADCLYFFE AND CO.**, 128 and 129, High Holborn, London, W.C.

**VEITCH'S PERFECTION and PEDI-GREE PEAS** for Sale. Also some autumn-sown **CABBAGE PLANTS**—Early Drumhead. Apply to the grower, **B. SLOCOCK**, Upton Court Farm, Slough.

**PRIZETAKER PEAS**.—20 quarters for Sale. Sample and price on application to  
**THOMAS PERKINS AND SONS**, 34, Drapery, Northampton.

**SCOTCH FIR SEED** (true Native).—Price on application to  
**R. AND A. MORRISON**, The Nurseries, Elgin.

Hedge Row and Avenue Trees.

**ENGLISH and TURKEY OAK, LIME, HORSE CHESTNUTS, SYCAMORE**, splendid trees, 10, 12, 15, and 18 feet. Special low prices on application.  
**JAMES DICKSON AND SONS**, Newton Nurseries, Chester.

**SPANISH CHESTNUT**, 1 to 2 and 2 to 2½ feet; **ALDER**, 4 to 5 and 5 to 6 feet; **ASH**, 2 to 3, 3 to 4, and 4 to 5 feet; stout, well-rooted, transplanted.  
**GEORGE CHORLEY**, Midhurst, Sussex.

**DICK RADCLYFFE AND CO.**, SEEDSMEN and SEEDSMEN'S SUNDRIESMEN.—Wholesale CATALOGUE posted to all Customers. Please apply for if not received.  
128 and 129, High Holborn, W.C.

**WANTED, GLOIRE DE DIJON, NIPHETOS, MADAM FALCOT, DEVONIENSIS, and MARECHAL NIEL ROSES**. Lowest price for Cash.  
**H. H. MOORE**, Nurseryman, Chichester.

**WANTED, HOLLY BERRIES, HAWS, OAK ACORNS, PINUS AUSTRIACA SEED**, of British growth; **PARADISE STOCKS**, strong.  
*D., Gardeners' Chronicle Office, W.C.*

**WANTED**, Seedling and Bedded **FOREST TREES**, and strong **TRANSPLANTED TREES** of sorts; strong staked IVY, &c. State prices, &c., to Messrs. **JOSEPH TREMBLE AND SONS**, Penrith.

**WANTED**, Standard **BEECH TREES**, with strong heads; also extra strong **FRUITING FIGS** in pots. State sizes with prices, to  
**RICHARD SMITH**, St. John's Nurseries, Worcester.

**WANTED**, 8000 **GORSE**, 1½ to 2½ feet, strong. Quote lowest price per 1000 to  
**WILLIAM BRYANT**, The Nursery, Rugby.

**WANTED**, Six good **QUEEN PINES**, to show fruit immediately. Send particulars and lowest price to  
**JOHN PERKINS AND SON**, 52, Market Street, Northampton.

All Who Have Gardens Should Read

**CARTER'S VADE MECUM**. It contains two beautifully and faithfully executed Coloured Plates, and several hundred Illustrations of the best New and Choice Flowers and Vegetables of the season. It also contains concise and practical instructions to ensure successful cultivation. Price 1s., post-free 1s. 3d.  
The Queen's Seedsman, High Holborn, W.C.

**CARTER'S VADE MECUM** is the handiest and most comprehensive Guide for Amateurs and Gardeners yet published. Price 1s., post-free 1s. 3d. The Queen's Seedsman, High Holborn, W.C.

**NOTICE and CAUTION**.—COPYRIGHT. **CARTER'S ECONOMY in the GARDEN.**

**ECONOMY in the GARDEN** is the Title of Carter's Select Seed Catalogue. It contains full particulars of Carter's Popular Collections of Vegetable and Flower Seeds, &c. Gratis and post-free on application.  
The Queen's Seedsman, High Holborn, London, W.C.

**GERANIUMS and CALCEOLARIAS**.—Strong autumn-struck Vesuvius, 8s. per 100; Christine, pink, 8s. per 100; Master Christine, 10s. per 100. Calceolaria, Golden Gem, very strong, 5s. per 100, 40s. per 1000. Package free for Cash with Order.  
**W. FIELD**, Tarvin Road Nurseries, Chester.

**LARGE TREE BOX**.—Handsome, bushy, and well rooted, 5, 6, 7 and 8 feet high. Tree Box live under trees better than any other evergreen tree. Prices on application. An inspection invited.  
**T. JACKSON AND SON**, Nurseries, Kingston, Surrey.

**J. B. BUTTERFIELD**, Baker Street Nurseries, Enfield, has on hand a few Hundred Specimen **SHRUBS, FRUIT TREES, &c.** also many Thousand **EUONYMUS, ACUBAS, CUPRESSUS, &c.**, for pots. To be disposed of at low rates for cash.

Roses, Fruit Trees, &c.

**WILLIAM FLETCHER'S CATALOGUE** for the present season is now ready, and may be had on application. The stock is very large and most healthy.  
The Ottershaw Nursery, Chertsey.

Stocks for Immediate Working.

**MANETTI and CLEMATIS ROOTS**.—Apply early, because I have never yet been able to supply the demands made upon me.  
**CHARLES NOBLE**, Bagshot.

**TO EFFECT A CLEARANCE** the following little LOT is offered:—5000 **RHODODENDRONS**, 3 to 4 ft., fine, 75s. per 100. Free into railway truck.  
**CHARLES NOBLE**, Bagshot.

Lilium auratum.

**THE NEW PLANT and BULB COMPANY** have just received a consignment of Bulbs, direct from Japan, as fresh as if just taken from the ground. For prices and particulars of Bulbs of all kinds, **ORCHIDS, &c.**, see CATALOGUE post-free on application.  
Lion Walk, Colchester.

Now Ready.

**THE LAWSON COMPANY'S NURSERY CATALOGUE** for 1878; will be forwarded free on application.  
**THE LAWSON SEED and NURSERY COMPANY (Limited)**, Edinburgh and London.

**CATALOGUES**.—His Excellency Pierre Wolkenstein will feel greatly obliged if Nurserymen and Seedsmen will kindly send him their Catalogues. They should be forwarded (by post) to  
**S. E. PIERRE WOLKENSTEIN**, Secrétaire de la Société Impériale d'Horticulture de Russie, St. Petersburg.

**ALL WHO REQUIRE SEEDS** of unquestionable quality may save 25 per Cent., and obtain them from the Growers, whose **PRICED LIST (ILLUSTRATED)** can be had on application.  
**HARRISON AND SONS**, Seed Growers, Leicester.

**SPECIMEN and FINE FOLIAGED TREES and SHRUBS** for immediate effect, **FRUIT TREES, ROSES, &c.** An inspection solicited.  
CATALOGUES on application.  
**II. LANE AND SON**, The Nurseries, Berkhamsted, Herts.

Now Ready.

**CHARLES TURNER'S Descriptive CATALOGUE of SEEDS**. Post-free on application.  
The Royal Nurseries, Slough.

**APPLE TREES**.—400 Maiden Keswick Codlin and Lord Suffield. Price and quantity to Sell to  
**J. G. MITCHINSON**, Nurseryman, Penzance.

**ORCHARD-HOUSE TREES**, Fruiting in Pots:—Peaches, Nectarines, Plums, Pears, Apples, Figs, Apricots, Cherries, Mulberries, and Oranges.  
**RICHARD SMITH**, Nurseryman and Seed Merchant, Worcester.

Gentlemen's Gardeners, Amateurs, and Others

**GARDEN POTS** of best quality, are requested to send their orders to  
**J. MATTHEWS**, Royal Pottery, Weston-super-Mare. Price List on application.

**NOTICE**.—All Numbers of the "Gardeners' Chronicle" prior to 1874 are 1s. each.

Now Ready, in cloth, 16s.

**THE GARDENERS' CHRONICLE** VOLUME for JULY to DECEMBER, 1877.

**W. RICHARDS**, 41, Wellington Street, Strand, W.C.

ROYAL HORTICULTURAL SOCIETY,

South Kensington, S.W.

**NOTICE**.—SCIENTIFIC, FRUIT and FLORAL COMMITTEES' MEETINGS, on TUESDAY NEXT, Feb. 19, in the Council Room, at 11 o'Clock. GENERAL MEETING for ELECTION of FELLOWS at 3 o'Clock. Admission 1s.

CRYSTAL PALACE SHOWS.—

**AURICULAS**, April 25; **GREAT FLOWER SHOW**, May 24 and 25; **NATIONAL ROSE SOCIETY SHOW**, June 29; **AUTUMN FRUIT, FLOWER, and POTATO SHOW**, in September.

RICHMOND HORTICULTURAL SOCIETY.

President—H.S.H. the Duke of Teck, G.C.B.

The **FOURTH ANNUAL EXHIBITION of PLANTS, FLOWERS, FRUIT, VEGETABLES, DINNER-TABLE DECORATIONS and COTTAGERS' PRODUCTIONS** will be held on **THURSDAY**, June 27, 1878, in the Old Deer Park, Richmond Green. **SCHEDULES** now ready.

**ALBERT CHANCELLOR**, Hon. Secretary.

1, King Street, Richmond, Surrey.—February 11, 1878.

**BLACKPOOL**.—The **FLORAL and HORTICULTURAL SHOW** will be held at the Winter Gardens, on **WEDNESDAY, THURSDAY, and FRIDAY, July 17, 18, and 19**. **THOMAS BLANE**, Secretary.

CLAY CROSS HORTICULTURAL SOCIETY.

President—H.S.H. the Duke of Teck, G.C.B.

The **TWENTY-FIRST ANNUAL EXHIBITION, AUGUST 13**. PRIZES for Twenty Plants, £25, £20, £15, £10, £5. Veitch Memorial Medal and Prize of £5 for one dish of Peaches and one of Nectarines. Schedules ready by March 1.

**J. STOLLARD**, Secretary.

Clay Cross, near Chesterfield.

SHROPSHIRE HORTICULTURAL SOCIETY.

The ANNUAL EXHIBITION will be held at Shrewsbury, on **WEDNESDAY and THURSDAY, August 14 and 15**. PRIZES to the amount of **TWO HUNDRED and FIFTY POUNDS** will be offered.

**H. W. ADNITT**, } Hon. Secs.  
**W. W. NAUNTON**, }

New and Choice Potato.

Offered by **W. Smith & Son**, Aberdeen.

**GRAMPIAN (ROBERTSON) POTATO**.—PRIZES will be given at the next INTERNATIONAL POTATO EXHIBITION for this fine variety. Sole Wholesale Agents: **NUTTING AND SONS**, Seed Merchants, 60, Barbican, London, E.C.

To Planters.

**PLANTERS SHOULD ALL CONSULT**

**PAUL AND SON'S** Descriptive CATALOGUE of **HARDY TREES and SHRUBS**, with **FRUIT TREES**. Post-free.  
The "Old" Nurseries, Cheshunt.

**SPECIAL TRADE OFFER**.—To effect a clearance, several thousand common **LAUREL**, extra fine bushy plants, 3 to 5 feet, 20s. per 100; also **AMERICAN AREORVITA**, extra fine, 7 to 8 feet, 110s. per 100; 8 to 9 feet, 125s.; smaller, 2½ to 3½ feet, 20s. For cash.

**E. R. DAVIS**, Yeovil Nurseries, Yeovil.

plants agree in the ultimate chemical elements they contain and in the main nutritive processes which are subsequent to the acquisition of their food supply.

The plants we are most familiar with are terrestrial plants with green leaves and "practicable" roots. For these, looked at as feeders, I suggest the name "autophytes," and take them as a type class. They undoubtedly "fix" carbon from the carbon dioxide of the air by means of the chlorophyll in their green parts when mature, and they equally undoubtedly take in water, holding other substances in solution, by osmosis through the root-hairs. We may so far agree with the late Mr. Andrew Murray as to admit that some of the carbon may very possibly be taken in by the roots, either as carbon dioxide, produced, as Liebig urged, by the decomposition of vegetable humus, or in soluble organic compounds, comparable to the peptones. So also with water: it may be taken in by the leaves as well as by the roots, and it is quite in accordance with general views of osmose that it should be so.

The sources of nitrogen in "autophytes" is a moot point. Some undoubtedly comes from nitrates in the soil in solution; whilst ammonia, either from rain-water, absorbed by glands such as those of Saxifrages, Primulas, and Pelargoniums, or from humus, is another undisputed medium of supply. Possibly, as Professor Calderon of Las Palmas has suggested, the nitrogenous organic matter always floating in the air may be a general source of this element.

According to which class of organs we look at, autophytes may be termed root-feeders, "rhizophytes," or, less euphoniously, "rhizophagists," or leaf-feeders "phyllaphytes," or "phyllaphagists."

It is necessary to remember that these autophytes in the embryonic stage are distinctly parasitic on the perisperm of the seed. They may even be termed "entophytes," or internal parasites. This is more easily realised in such a case as that of the Mangrove (*Rhizophora*), where the seed germinates when still attached to the parent tree. The embryos of Wheat can be removed and transferred to the perisperm of another seed, and will then grow normally. It is also essential to my argument that it should be borne in mind that after the acquisition of the food materials they pass through the plant in various degrees of organisation or assimilation mainly by osmose in a fluid state. These are the processes termed collectively "metastasis."

Green or chlorophyll bearing parasites, or "hemi-autophytes," as I term them, such as Mistletoe, are autophytic in their leaf-feeding, *i.e.*, they gain part of their carbon from the atmosphere by their leaves. In their root-feeding, however, they are, as Professor Calderon points out, "plasmophagous," *i.e.*, they absorb the living organic matter of the host-plant. This they take in as a whole by osmose without any so-called "selection" of useful from useless substances. Among the substances thus obtained from the host is some of their hydrocarbons. Their nutrition is closely analogous to that of an ordinary branch or to that of a graft. In this first case of apparently abnormal nutrition all processes subsequent to assimilation (metastatic) are normal.

The law of least work or economy would seem to have acted in abolishing the chlorophyll and, in dicotyledons, aborting the chlorophyll-bearing organs of the entirely parasitic plants, such as *Cuscuta*, *Cassytha*, *Rafflesia*. These I term "heterophytes," restricting this name to plants nourished by other living plants. To this group belong many of the fungi, notably the entophytic ones and the lichen formers ("apophytes"). The nutrition of this group is "plasmophagous," spawn threads and suckers feeding merely by osmose without

any "selective" power. Here again, though all the hydrocarbons must virtually be derived from the chlorophyll-bearing host, all the metastasis will be normal.

The rest of the fungi and a few exceptional angiosperms constitute the third apparently abnormal class, the "saprophytes." These live either wholly or in part on dead organic matter in various stages of decomposition. Professor Calderon terms this form of nutrition "necrophagous." The saprophytic fungi and such plants as *Neottia Nidus-avis*, which have aborted leaves, feed entirely by their spawn or root-system. The "hemi-saprophytes" are such plants as *Sarracenia*, *Darlingtonia*, and *Utricularia*, which have sometimes a normal root-feeding power and a partially normal or autophytic leaf-feeding power; *i.e.*, they are only sometimes all but rootless, and have sometimes ordinary chlorophyll-bearing leaves, which are not saprophytic, besides their pitchers or utricles. Once more, it is only the method of obtaining food, not its use, which is peculiar. Fourthly, the "biophytes," or "biophagous" plants, are those which digest and absorb the matter of living organisms—mostly animal, such as the *Droseraceæ*, *Pinguicula*, and *Nepenthes*. These all have a normal, though sometimes reduced root-feeding power, and the "biophagism" is only part of their leaf-feeding system. These plants only differ physiologically from the "hemi-saprophytes" in the secretion of a digestive fluid. This seems to be brought about by the absorption of "peptogenes," which may be only an extension of the absorption of the atmospheric ammonia and nitrogenous organic matter which Professor Calderon considers part of the normal nutrition of "autophytes." The digestive secretion itself seems to be merely slightly acidulated water. Free acids are common in plants, and being, moreover, commonly hurtful "waste products of metastasis," may well have been excreted before their utility showed itself. This acid fluid reducing the solid nitrogenous matter to peptone, it is physically inevitable that this crystalloid substance should pass through the colloid cellulose with which it may be in contact.

Many algae and submerged plants obtain all their food through the medium of water, and may be therefore termed "hydrophytes." These are chlorophyll-bearers. Other plants, as is well known, such as many Orchids and Bromeliads, are entirely independent of the soil and of other plants, deriving their whole food from the air. These are termed "epiphytes."

There is thus a general identity of food in the vegetable kingdom, an identity in its ultimate sources, considerable variety in the modes in which it is acquired, but a general identity in its utilisation. *G. S. Boulger*, 11, Burlington Road, Westbourne Park, W.

## New Garden Plants.

### DENDROBIUM DOMINYANUM, n. hybr.\*

A very ornamental *Dendrobium*, and very curious in point of view of science. If formerly one had seen it without knowledge of its origin, one might have been disposed to "sink" one of the two parent species, *D. Linawianum* and *D. nobile*. The stem reminds one of that of well-known *D. Linawianum* (the moniliforme of all authors except Swartz and the author of these lines). The joints are in fact zigzag, as in that species, though they are thicker. When the leaves fall off, then the colour of the shining joints is of that yellowish tint so surprising in that species. I have two stems at hand, by the liberality of an invaluable correspondent, the flowering one 2 feet (!) high, and as strong as my thumb. The leaves on the younger stem are three, cuneate oblong ligulate, obscurely bilobed at the end. The flowers are much greater and stronger than those of *D. Linawianum*, two or three in a raceme. The long pedicels and ovaries

\* *Dendrobium Dominyanum*, n. hybr.—*Nobile* × *Linawianum*: caule tumido articulis paulo fractiflexis crassis; foliis cuneato ligulatis obscure bilobis; floribus racemosis; racemis bifloris seu trifloris; bracteis spathaceis ovaris pedicellatis multo brevioribus; mento acuto; sepalis ligulatis acutis, lateralibus falcatis; tepalis cuneato oblongis acutis; labello brevis unguiculato oblongo acuto basi veluino. Caulis demum flavidus. Flores aemethystino purpurei. Tepala basi alba. Labello disco basilaribus obscurissime purpureo, zona albidâ circumpecta apice purpureo. Columna viridis, Anthera atropurpurea.—Cl. Dominy patri Orchidearum hortensium hybridarum artefactarum inscriptum. *R. G. Rehb. f.*

(taken together nearly 3 inches long) nicely rosy purplish. Sepals of the same colour, only the posterior side of the chin green. Petals of the same colour, darker, and white on the inferior part. The lip has a nail shorter than in *D. Linawianum*, longer than in *nobile*, with the blade narrower than in the last, broader than in the first, well acute. There is the basilar dark warm blotch of *nobile*, a white area around and whole the apical part is of warmest purplish, when it is light amethyst in *D. Linawianum*. The lateral discoidal spots of *D. Linawianum* are suppressed. The chin is much more acute than in *D. nobile*, and a little blunter than in *Linawianum*. The sepals are narrower, and the lateral ones falcate, as in *D. Linawianum*. Anther-case deep purplish. Pollen well developed, and having acted well on the stigma of one flower. Column greenish.

This great curiosity properly bears the name of Mr. Dominy, who obtained it by crossing the two named species, I believe a very long while ago. I have to thank Messrs. Veitch for a glorious specimen of the plant. *H. G. Rehb. f.*

### CYPRIPEDIUM HINCKSIANUM, n. sp.\*

Mr. Wallis knew of there being a *Selenipedium*, or, as Orchidists say, a *Cypridium*, near Cape Darien, and took means to secure it. Dr. Seemann had also made the discovery; he sent me his specimens glued to stiff paper, and rather unexamined. I believed it was my *Selenipedium Hartwegii*. Later Dr. Seemann found a few flowers used by Mr. Fitch for his representation in the *Herald of Botany*, and sent me them as a present. Then I saw that Mr. Fitch's surprising representation of the small angul inside, near the base of the lip, was well founded; and thus I understood its being new, and called it (*Cypridium*) (*Selenipedium*) *dariense*. Mr. Wallis felt much pleased at having found what he thought *C. Hartwegii*. And now it flowers it proves distinct from all its allies by its long narrow lip having an almost conical long shoe. It is distinct from *C. dariense* in the want of those just mentioned basilar teeth in the unguis of the lip. The long lip is exceedingly curious (provided it is constant, as I expect). The inflexed lateral part of the lip is remarkably thick, cartilaginous. Both sepals are whitish green with dark green partly reddish veins. Petals light greenish, with a deep greenish middle line and brown border at base. Tails totally brown. Lip light green, with small brown spots near base. Staminode green, with brown back sides. My later description is compiled from my dry herbarium materials, our living plants in Hamburg Botanic Garden, and a fresh specimen for which I have to thank a most scientific and energetic collector of Orchids, T. C. Hincks, Esq., Breckenbrough, Thirsk, who appears to have first flowered it, and to whom it is dedicated with great pleasure. *H. G. Rehb. f.*

### ODONTOGLOSSUM CIRRHOSUM, Lindl., KLABOCHORUM.

The beautiful flower, represented at p. 181, shown at the last meeting of the Floral Committee by Mr. Ollerhead, gardener to Sir Henry Peck, M.P., Wimbledon House, belongs to the variety I ventured to name *Klabochorum* (*Gardeners' Chronicle*, October 7, 1876, p. 452). There was then much disbelief in London as to the superior merits of the new introduction, so that I was sorry not to have brought a dried specimen with me to England. I feel the more satisfied now to see the "*Klabochorum*" judged as a "remarkable variety"—"the best that has yet been shown." As to the colours, they are decidedly variable. I have a memorandum at hand of M. T. C. Lehmann, Mr. Low's successful traveller, who states he found a wild panicle with seventy-nine flowers. Thus we may presently get an English one laden with 150 flowers, which might be regarded rather satisfactory. *H. G. Rehb. f.*

## CULTIVATION OF THE CHRYSANTHEMUM.†

THE *Chrysanthemum* being so universally known, needs no introduction at my hands. I consider the *Chrysanthemum* one of the most useful plants a gardener can cultivate, either for cutting or for decorating the conservatory during the dull autumnal months of November and December. I believe its beauties and usefulness are becoming more appreciated every year, as witness the many exhibitions that have been held this autumn in many parts of the country.

\* *Cypridium Hincksonianum*, n. sp.—Folius ligulatis loratis coriaceis; pedunculo elato apice plurifloro racemoso; bracteis helicoidaceis seu carinate triangulis acuminatis complicatis; ovaris calvis; sepalis dorsali oblongo ligulato obtuse acuto, limbo crispulo; tepalis a basi lata angustissime caudatis; labello crisulo elongato conico utrinque supra ostium tumore apicis cavo, ina basi edentulo; staminode transverse rhombice postice velutino.—*Selenipedium Hincksonianum*, *H. G. Rehb. f.*

† Read at the meeting of the Wimbledon Gardeners' Improvement Society, December 13, 1877.